NBSIR 73-338 (Sept 1973) 27 pp.

CALCULATED LIQUID PHASE THERMODYNAMIC PROPERTIES AND LIQUID-VAPOR EQUILIBRIA FOR FLUORINE-OXYGEN (FLOX) MIXTURES

NAT'L INST. OF STAND & TECH
A11106 449260
NIST PUBLICATIONS
REFERENCE

W. R. Parrish
M. J. Hiza

Cryogenics Division
Institute for Basic Standards
National Bureau of Standards
Boulder, Colorado 80302

September 1973
Final Report

Prepared for:

The National Aeronautics and Space Administration
Lewis Research Center
Cleveland, Ohio 44135

QC
100
.U56
no.73-338
1973

NBSIR 73-338

CALCULATED LIQUID PHASE THERMODYNAMIC PROPERTIES AND LIQUID-VAPOR EQUILIBRIA FOR FLUORINE-OXYGEN (FLOX) MIXTURES

W. R. Parrish
M. J. Hiza

Cryogenics Division
Institute for Basic Standards
National Bureau of Standards
Boulder, Colorado 80302

September 1973
Final Report

Prepared for:
The National Aeronautics and Space Administration
Lewis Research Center
Cleveland, Ohio 44135

U.S. DEPARTMENT OF COMMERCE, Frederick B. Dent, Secretary

NATIONAL BUREAU OF STANDARDS, Richard W. Roberts, Director

CONTENTS

1. INTRODUCTION 1

2. CALCULATION METHODS 3

3. RESULTS 8

4. ACKNOWLEDGMENTS 10

5. REFERENCES 11

TABLES 13

A-1 13

A-2 14

*B-1 21

*B-2 22

---

* The thermodynamic properties given in these tables are based on the thermochemical BTU = 1054.35J.

CALCULATED LIQUID PHASE THERMODYNAMIC PROPERTIES AND LIQUID-VAPOR EQUILIBRIA FOR FLUORINE-OXYGEN (FLOX) MIXTURES*

W. R. Parrish and M. J. Hiza

Cryogenics Division
National Bureau of Standards
Boulder, Colorado 80302

ABSTRACT

Liquid phase thermodynamic properties and liquid-vapor equilibria of fluorine-oxygen mixtures, for which no experimental data exist, have been calculated. The results are based on excess properties predicted from the Snider-Herrington equations, with an adjusted combining rule, and the corresponding data for the pure fluids. Mixtures considered are 0.6, 0.7, 0.8, 0.88, and 0.9 weight fraction of fluorine from 55 to 90K up to 70 x 10^5 Pa. In the compressed liquid, molar volumes, enthalpy, entropy, and constant pressure specific heat were determined. Along the saturation boundary, coexistent vapor compositions and solution vapor pressures were determined as well. Corresponding properties of pure fluorine from experimental data have also been included. Results are tabulated in both British and S.I. units.

Key Words: Calculated properties; enthalpy; entropy; liquid; fluorine; fluorine-oxygen; mixtures; hard-sphere model; liquid-vapor equilibria; specific heat; volume.

1. INTRODUCTION

Liquid mixtures of fluorine and oxygen are potential candidates for oxidizers in chemical rocket propulsion systems. As such, there is a need for thermophysical properties of selected mixtures over a range of temperatures and pressures, for which experimental data do not exist. It is the purpose of this study to provide the "best" calculated mixture properties within the current state-of-the-art.

---

*This study was carried out at the National Bureau of Standards under the sponsorship of the National Aeronautics and Space Administration.

To predict the thermodynamic properties and phase equilibria of liquid mixtures reliably, it is essential at some point to introduce appropriate numerical data on the components of the mixture and on the nature of the unlike molecule interactions. The latter information is generally obtained by evaluating some experimental data on the fluid mixture, not necessarily on the property of interest, to account for inadequacies of the combining rules. Calculations can then be made on the property of interest, preferably in regions where some data are available to assess the degree to which the real mixture values are reproduced.

Recent work on hard-sphere perturbation models has resulted in at least one set of relatively simple equations for liquid mixtures, i.e., the Snider-Herrington equations [1], which represent the correct temperature dependence of thermophysical excess properties. Staveley [2] showed that results calculated from these equations compare much better with newer data than with some of the data originally used by the authors. This led Miller, Kidnay, and Hiza [3] to apply the Snider-Herrington equations to the infinite dilution Henry's constants for the neon-krypton system with marked success. In these latter calculations, the adjustment to account for the inadequacy of the combining rule for the energy parameters was consistent with the correlation of Hiza and Duncan [4], making it unnecessary to sacrifice experimental data to obtain information on the unlike molecule interactions. Miller [5] also demonstrated that for a number of other systems, the deviation parameters needed to predict mixture properties with the Snider-Herrington equations are consistent with those obtained from independent gas phase data, which for the most part are properly represented in magnitude by the Hiza-Duncan correlation.

Fluorine-oxygen mixtures are particularly intriguing in the above context, since appropriate data are not available to determine the inadequacies of the combining rules nor to determine the reliability of any calculations. However, accurate data for the pure fluids, fluorine [6] and oxygen[7], are available. If one can postulate something about the nature of the unlike molecule interactions, it is possible to obtain liquid fluorine-oxygen mixture properties from the pure fluid properties data and the excess properties determined with the Snider-Herrington equations.

Though the desired information for fluorine-oxygen interactions is not available, previous experience with comparable oxygen systems can be applied to this problem, since oxygen appears to be the responsible molecule in exceptions encountered in the correlation effort [4]. To model the fluorine-oxygen system after other simple oxygen systems, it must be assumed that fluorine is well-behaved, and that the mixtures formed are purely physical solutions.

In this study, the argon-oxygen system was used as the model to estimate an adjustment to the geometric mean combining rule for the characteristic energy parameter of the fluorine-oxygen system. Fluorine-oxygen liquid mixtures containing 0.6, 0.7, 0.8, 0.88, and 0.9 weight fraction of fluorine and pure fluorine were considered in the present calculations from the saturation boundary up to 70×10^5 Pa from 55 to 90K. The properties determined were molar volume, enthalpy, entropy, and constant pressure specific heat. Along the saturation boundary, the coexistent vapor phase compositions and solution vapor pressures were determined as well.

2. CALCULATION METHODS

The equations used in these calculations are well documented; thus, only the specific logic and unique features of the present calculations are included here.

The form of the equation of state of Longuet-Higgins and Widom [8], upon which the mixture equations of Snider and Herrington are based is:

$$Pv/RT = [(1 + \xi + \xi^2)/(1 - \xi)^3] - (a/RTv) \qquad (1)$$

where $\xi = \beta/v$ and β is the hard-sphere volume, $(\frac{1}{6} N_A \pi r^3)$. The second term represents a uniform attractive potential field.

Assuming constant "a" and "β" parameters implies that the configurational $C_V = 0$. Recently, Blinowska, Herrington, and Staveley [9] have taken into account the fact that these parameters are not constant over a range of temperatures. To avoid evaluation of temperature and density dependencies in the present calculations, the parameters "a" and "β" were evaluated from the pure fluid properties at each temperature of interest. The "a" parameter was evaluated from the configurational internal energy (the configurational internal energy of an ideal gas is zero); thus, "β", the hard-sphere volume is the only unknown in equation (1).

In applying their equations, Snider and Herrington used the equimolar G^E (excess Gibbs energy) at one temperature to determine the value of the cross parameter, "a_{12}". Sacrificing mixture data in any form in the present calculations was not possible. Thus, a different scheme had to be devised.

In correlating deviations from the geometric mean combining rule for the characteristic energy parameters [4], the following empirical equation was developed:

$$k_{12} = 0.17(I_1 - I_2)^{1/2} \ln(I_1/I_2) \qquad (2),$$

where I is the ionization potential in eV and the subscript one denotes the component with the larger value. The parameter k_{12} is defined as:

$$U_{o12} = (1 - k_{12}) (U_{o1} U_{o2})^{1/2} \quad (3)$$

where U_o is the characteristic potential energy parameter. It is anticipated that the deviation parameter k_{12} is always positive.

In comparing predictions of the deviation parameter from equation (2) with observed values for oxygen systems specifically, equation (2) consistently over-predicts the magnitude of k_{12}. This suggests that an effective ionization potential for oxygen, somewhat larger than the observed value of 12.08 eV [10], is necessary to make the predictions for oxygen systems consistent with experiment.

The ionization potential for fluorine is 15.70 - 15.83 eV [11], almost the same as that for argon, 15.79 - 15.94 eV [12]. If one assumes that, in the fluorine-oxygen system, fluorine will be well-behaved and oxygen can be blamed for the unusual behavior noted above, the argon-oxygen system can be used as a model system for the fluorine-oxygen system. This is precisely the assumption made in the present calculations.

In the combining rule used by Miller, Kidnay, and Hiza [3]

$$a_{12} = (1 - k_{12}) (a_{11} a_{22})^{1/2} [(r_1 + r_2)/2(r_1 r_2)^{1/2}]^3 \quad (4)$$

where "r" is the hard-sphere diameter, a k_{12} of 0.015 was selected for the fluorine-oxygen system by examination of the equimolar G^E from argon-oxygen liquid-vapor equilibria data [4].

Since the liquid-vapor equilibria data for argon-oxygen are well represented by the two-suffix Margules equation [13], this framework

was used here to establish the liquid phase total vapor pressure and the vapor composition of the fluorine-oxygen system. In this sense, the excess Gibbs energy and the activity coefficient of each component, γ_1 and γ_2, are related to the liquid phase mole fractions, x_1 and x_2, with a single constant, A, by

$$G^E = A\, x_1\, x_2 \tag{5}$$

$$RT \ln \gamma_1 = A\, x_2^2 \tag{6}$$

$$RT \ln \gamma_2 = A\, x_1^2 \tag{7}$$

The standard expression for the activity coefficient of each component

$$RT \ln \gamma_1 = RT \ln (y_1 P/x_1 p_{o_1}) + (B_{11} - v_{o_1})(P - p_{o_1}) + P y_2^2 \delta_{12} \tag{8}$$

$$RT \ln \gamma_2 = RT \ln (y_2 P/x_2 p_{o_2}) + (B_{22} - v_{o_2})(P - p_{o_2}) + P y_1^2 \delta_{12} \tag{9}$$

can then be related to equations (6) and (7) to obtain two equations in two unknowns, i.e. the solution vapor pressure, P, and the vapor phase mole fraction, y_1 where $(y_1 + y_2 = 1)$. B_{11}, v_{o_1}, and p_{o_1}, and the corresponding terms with a subscript two, are the pure component second virial coefficient, saturated liquid molar volume, and vapor pressure respectively. δ_{12} is an excess interaction second virial coefficient term defined by

$$\delta_{12} = 2B_{12} - B_{11} - B_{22} \tag{10}.$$

The second virial coefficients were calculated using

$$B\,(T/T_c) = v_c \sum_{i=1}^{5} B_i^{*}\,(T/T_c)^{(1-i)/4} \qquad (11)$$

where B_i^{*} are the reduced form of the fitted polynomial coefficients B_i of pure fluorine second virial coefficients given by Prydz and Straty [6]. The relationship between the two sets of coefficients is

$$B_i^{*} = \frac{B_i (T_c)^{(1-i)/4}}{v_c} \qquad (12).$$

Since the reduced polynomial coefficients for pure oxygen are essentially identical to those for fluorine, i.e. two parameter corresponding states is satisfied, the values of B_i^{*} for fluorine were used. To obtain B_{12} from equation (11), the following mixing rules were used

$$v_c^{1/3} = v_{c12}^{1/3} = \frac{1}{2}\,(v_{c1}^{1/3} - v_{c2}^{1/3}) \qquad (13)$$

and

$$T_c = T_{c12} = (1 - k_{12})\,(T_{c1} T_{c2})^{1/2} \qquad (14)$$

with a value of k_{12} equal to 0.015.

The value of the constant A in equations (5), (6), and (7) was evaluated at each temperature from the equimolar G^E calculated from the Snider-Herrington equations. All pure component parameters were taken from the experimental data [6, 7].

3. RESULTS

The properties of interest were determined for the selected liquid phase compositions at each temperature in both British and S. I. units. The properties along the saturation boundary and those in the compressed liquid are given in S. I. units in tables A-1 and A-2, respectively. The corresponding properties in British units are given in tables B-1 and B-2. All calculations were done on a molar basis, though some of the properties are given on a weight basis for the convenience of the intended user. Fluorine and oxygen molecular weights of 38.00 and 32.00, respectively, were used in these conversions.

The mixture molar volumes, enthalpies, and entropies are the algebraic sum of the mole fraction average of the pure component properties taken from experiment, the excess property of the mixture calculated from the Snider-Herrington equations, and the ideal mixing contribution. This relationship is simply expressed as

$$M_m = x_1 M_1 + x_2 M_2 + M^E + M^{ideal} \tag{15}$$

where M is the property of interest, the subscript m denotes mixture, and the superscript E denotes excess. The last term, the ideal mixing contribution, is zero except for entropy and thus Gibbs energy, the ideal entropy of mixing being $-R\sum_i x_i \ln x_i$. In calculating the heat capacity of the mixture, it was assumed that the excess heat capacity is zero. The pure fluorine properties for the compressed liquid listed here have been corrected for a computational error in the original internal energy and enthalpy values given in reference 6; the saturated liquid properties were correct as given. Revised thermophysical properties tables for fluorine have been prepared by G. C. Straty and L. A. Weber and will be published soon. The reference state for the pure component thermodynamic properties is the ideal gas at zero K.

It is worth noting that the saturated liquid mixture densities (more correctly, specific weights), reported graphically by Schmidt [14] from "proportional interpolation" of the pure fluid properties, differ significantly from the values determined in this study. It is clear that Schmidt's values were determined by weight fraction averaging of the weights per unit volume of the pure saturated liquids. Thus, his mixture values are not consistent with the traditional definition of an ideal liquid mixture, i. e. the mole fraction average of the molar volumes. For a 70 weight % fluorine mixture at 140R, the saturation specific volume taken from Schmidt is approximately 2. 2% lower than the corresponding value from this study (Table B-1). This difference can be accounted for in three parts (approximately): 0. 4% due to the difference in pure fluid properties used, 1. 4% due to the two different methods of averaging, and 0. 4% due to nonideality considerations accounted for in the present study. If the same pure fluid properties were used, for this mixture, Schmidt's method of averaging results in a negative excess molar volume (equation 15) 1. 4% of the ideal while the present calculations result in a positive excess volume 0. 4% of the ideal.

The validity of the calculated results given here can only be assessed in the final analysis by comparison with appropriate experimental data, which are not available at the present time. At a minimum, two kinds of data at a single T - x point for the liquid mixture can satisfy this requirement. These are precise values of the solution vapor pressure and the saturated liquid excess molar volume for the equimolar liquid mixture at a single temperature, preferably far removed from the critical temperatures of the pure components. An additional piece of experimental data which is desirable, but not absolutely necessary, is the vapor phase composition in equilibrium with the equimolar liquid solution. Without

this information, it is hoped that these results are a significant improvement over values of the subject properties obtained by simple mole fraction averaging of the pure fluid (molar) properties.

4. ACKNOWLEDGMENTS

Support of this study by the National Aeronautics and Space Administration is gratefully acknowledged. The authors wish to thank G. C. Straty and L. A. Weber for providing computer programs for the pure fluid properties of interest.

5. REFERENCES

1. N. S. Snider and T. M. Herrington
   J. Chem. Phys. 47, 2248 (1967).
2. L. A. K. Staveley
   J. Chem. Phys. 53, 3136 (1970).
3. R. C. Miller, A. J. Kidnay, and M. J. Hiza
   J. Chem. Thermodyn. 4, 807 (1972).
4. M. J. Hiza and A. G. Duncan
   AIChE J. 16, 733 (1970).
5. R. C. Miller
   J. Chem. Phys. 55, 1613 (1971).
6. R. Prydz and G. C. Straty
   Nat. Bur. Stand. Tech. Note 392 (October 1970).
7. R. D. McCarty and L. A. Weber
   Nat. Bur. Stand. Tech. Note 384 (July 1971).
8. H. C. Longuet-Higgins and B. Widom
   Mol. Phys. 8, 549 (1964).
9. A. Blinowska, T. M. Herrington, and L. A. K. Staveley
   Cryogenics 13, 85 (1973).
10. K. Watanabe
    J. Chem. Phys. 26, 542 (1957).
11. A. W. Potts and W. C. Price
    Trans. Faraday Soc. 67, 1242 (1971).
12. D. W. Turner, C. Baker, A. D. Baker, and C. R. Brundle
    Molecular Photoelectron Spectroscopy [John Wiley, London, 1970].
13. J. M. Prausnitz
    Molecular Thermodynamics of Fluid-Phase Equilibria [Prentice-Hall, Englewood Cliffs, New Jersey, 1969], see pg. 194.
14. H. W. Schmidt
    NASA SP-3037 (1967).

TABLE A-1. THERMODYNAMIC PROPERTIES OF LIQUID FLUORINE-OXYGEN MIXTURES ON THE SATURATION BOUNDARY

TEMPERATURE	WT. FRACTION F2		PRESSURE	VOLUME	ENTHALPY	ENTROPY	C_P
K	LIQUID	VAPOR	10^5 PA	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	0.6000	0.7562	0.00338	23.41	-5963.57	70.86	54.02
	0.7000	0.8146	0.00355	23.19	-5947.42	69.85	54.17
55.0	0.8000	0.8724	0.00372	22.94	-5937.77	68.34	54.32
	0.8800	0.9204	0.00384	22.74	-5935.40	66.66	54.44
	0.9000	0.9329	0.00387	22.68	-5935.63	66.15	54.47
	1.0000	1.0000	0.00401	22.41	-5942.16	62.39	54.63
	0.6000	0.7524	0.01299	23.84	-5692.30	75.58	54.01
	0.7000	0.8132	0.01367	23.61	-5675.20	74.59	54.16
60.0	0.8000	0.8726	0.01432	23.36	-5664.54	73.10	54.31
	0.8800	0.9212	0.01481	23.15	-5661.32	71.43	54.43
	0.9000	0.9338	0.01493	23.10	-5661.32	70.92	54.46
	1.0000	1.0000	0.01550	22.82	-5666.69	67.18	54.62
	0.6000	0.7468	0.03996	24.28	-5419.60	79.95	54.50
	0.7000	0.8110	0.04203	24.05	-5401.21	78.98	54.72
65.0	0.8000	0.8714	0.04401	23.80	-5389.18	77.51	54.96
	0.8800	0.9211	0.04552	23.59	-5384.79	75.86	55.16
	0.9000	0.9337	0.04589	23.53	-5384.50	75.36	55.21
	1.0000	1.0000	0.04769	23.25	-5388.31	71.64	55.46
	0.6000	0.7402	0.10326	24.75	-5145.50	84.01	54.32
	0.7000	0.8059	0.10853	24.51	-5125.62	83.07	54.51
70.0	0.8000	0.8694	0.11356	24.26	-5112.01	81.62	54.70
	0.8800	0.9203	0.11744	24.05	-5106.29	79.99	54.85
	0.9000	0.9332	0.11839	24.00	-5105.65	79.49	54.89
	1.0000	1.0000	0.12302	23.71	-5107.68	75.80	55.10
	0.6000	0.7333	0.23246	25.25	-4869.73	87.81	54.70
	0.7000	0.8014	0.24404	25.01	-4848.26	86.89	54.94
75.0	0.8000	0.8670	0.25514	24.76	-4832.98	85.47	55.18
	0.8800	0.9192	0.26373	24.55	-4825.87	83.85	55.38
	0.9000	0.9323	0.26583	24.49	-4824.88	83.36	55.43
	1.0000	1.0000	0.27612	24.20	-4825.07	79.69	55.69
	0.6000	0.7267	0.46837	25.78	-4592.60	91.39	54.96
	0.7000	0.7971	0.49116	25.55	-4569.39	90.49	55.20
80.0	0.8000	0.8646	0.51308	25.30	-4552.15	89.09	55.46
	0.8800	0.9180	0.53008	25.08	-4543.54	87.49	55.67
	0.9000	0.9315	0.53426	25.02	-4542.16	87.01	55.72
	1.0000	1.0000	0.55473	24.73	-4540.38	83.36	56.00
	0.6000	0.7208	0.86232	26.35	-4313.57	94.75	55.65
	0.7000	0.7932	0.90342	26.12	-4288.44	93.88	55.97
85.0	0.8000	0.8625	0.94315	25.87	-4269.34	92.50	56.31
	0.8800	0.9170	0.97407	25.65	-4259.04	90.93	56.59
	0.9000	0.9307	0.98168	25.60	-4257.09	90.44	56.67
	1.0000	1.0000	1.01909	25.30	-4253.20	86.82	57.03
	0.6000	0.7154	1.47487	26.97	-4031.98	97.96	56.53
	0.7000	0.7836	1.54399	26.73	-4004.77	97.11	56.96
90.0	0.8000	0.8605	1.61112	26.48	-3993.51	95.76	57.40
	0.8800	0.9161	1.66359	26.27	-3971.43	94.20	57.76
	0.9000	0.9300	1.67654	26.21	-3969.16	93.72	57.86
	1.0000	1.0000	1.74034	25.91	-3962.81	90.12	58.33
	0.6000	0.7101	2.37502	27.64	-3746.61	101.03	57.17
	0.7000	0.7860	2.48455	27.41	-3717.20	100.20	57.63
95.0	0.8000	0.8584	2.59143	27.16	-3693.67	98.87	58.10
	0.8800	0.9150	2.67529	26.95	-3679.70	97.33	58.49
	0.9000	0.9291	2.69604	26.89	-3676.96	96.86	58.58
	1.0000	1.0000	2.79849	26.59	-3668.18	93.28	59.09

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.60

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	23.41	-5362.54	70.86	54.37		55.0	23.41	-5961.58	70.85	54.36
	60.0	23.84	-5691.38	75.58	54.78		60.0	23.83	-5690.44	75.57	54.77
0.50000	65.0	24.26	-5418.43	79.94	55.79	1.01325	65.0	24.23	-5417.49	79.94	55.79
	70.0	24.75	-5145.23	84.00	54.72		70.0	24.74	-5144.30	84.00	54.72
	75.0	25.25	-4869.38	87.81	55.27		75.0	25.25	-4868.48	87.80	55.28
							80.0	25.73	-4591.73	91.38	55.33
	55.0	23.40	-5354.06	70.82	54.30		55.0	23.39	-5944.62	70.78	54.23
	60.0	23.82	-5683.02	75.54	54.75		60.0	23.81	-5673.62	75.50	54.71
	65.0	24.27	-5410.24	79.90	55.81		65.0	24.26	-5401.03	79.86	55.82
	70.0	24.73	-5137.10	83.96	54.72		70.0	24.72	-5128.07	83.91	54.70
5.00000	75.0	25.24	-4861.49	87.76	55.32	10.00000	75.0	25.22	-4852.70	87.71	55.36
	80.0	25.76	-4584.94	91.34	55.34		80.0	25.74	-4576.41	91.28	55.34
	85.0	26.33	-4306.36	94.71	55.65		85.0	26.31	-4293.81	94.65	55.65
	90.0	26.95	-4026.87	97.92	56.44		90.0	26.92	-4019.21	97.85	56.30
	95.0	27.62	-3743.31	100.99	57.22		95.0	27.59	-3736.20	100.92	57.11
	55.0	23.37	-5325.74	70.70	54.10		55.0	23.35	-5907.02	70.62	53.96
	60.0	23.79	-5555.08	75.41	54.65		60.0	23.77	-5636.46	75.33	54.60
	65.0	24.23	-5382.64	79.77	55.82		65.0	24.21	-5364.30	79.68	55.80
	70.0	24.69	-5110.01	83.82	54.68		70.0	24.66	-5091.92	83.72	54.65
20.00000	75.0	25.18	-4835.14	87.61	55.44	30.00000	75.0	25.15	-4817.64	87.51	55.02
	80.0	25.71	-4559.37	91.17	55.33		80.0	25.67	-4542.29	91.07	55.30
	85.0	26.26	-4282.46	94.53	55.62		85.0	26.22	-4266.04	94.42	55.34
	90.0	26.87	-4003.78	97.73	56.06		90.0	26.82	-3989.23	97.60	55.86
	95.0	27.52	-3721.37	100.78	56.88		95.0	27.45	-3707.31	100.65	56.49
	55.0	23.34	-5388.12	70.54	53.83		55.0	23.32	-5869.60	70.46	53.94
	60.0	23.75	-5617.75	75.24	54.57		60.0	23.73	-5599.14	75.16	54.53
	65.0	24.18	-5345.81	79.60	55.10		65.0	24.16	-5327.46	79.51	55.12
	70.0	24.63	-5073.31	83.63	54.62		70.0	24.61	-5055.68	83.54	54.58
40.00000	75.0	25.12	-4799.38	87.42	55.06	50.00000	75.0	25.09	-4782.32	87.32	55.07
	80.0	25.63	-4525.19	90.96	55.26		80.0	25.59	-4508.05	90.86	55.22
	85.0	26.18	-4249.50	94.31	55.30		85.0	26.13	-4232.92	94.20	55.24
	90.0	26.76	-3972.55	97.48	55.69		90.0	26.71	-3956.74	97.36	55.53
	95.0	27.39	-3692.57	100.51	56.30		95.0	27.34	-3677.68	100.38	56.12
	60.0	23.71	-5580.47	75.08	54.49		60.0	23.69	-5561.78	75.00	54.45
	65.0	24.13	-5309.12	79.43	55.12		65.0	24.11	-5290.76	79.34	55.10
	70.0	24.58	-5037.55	83.45	54.55		70.0	24.55	-5019.40	83.36	54.51
60.00000	75.0	25.05	-4764.66	87.22	55.07	70.00000	75.0	25.02	-4746.99	87.13	55.06
	80.0	25.55	-4490.49	90.76	55.16		80.0	25.52	-4473.69	90.66	55.10
	85.0	26.09	-4216.18	94.09	55.16		85.0	26.05	-4199.49	93.98	55.08
	90.0	26.66	-3941.33	97.24	55.40		90.0	26.61	-3924.81	97.12	55.28
	95.0	27.27	-3662.68	100.25	55.95		95.0	27.21	-3647.56	100.13	55.79

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.70

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	23.19	-5346.39	69.85	54.57		55.0	23.13	-5945.43	69.84	54.57
	60.0	23.61	-5674.30	74.59	55.07		60.0	23.61	-5673.36	74.58	55.06
0.50000	65.0	24.05	-5400.11	78.98	56.26	1.01325	65.0	24.05	-5399.08	78.98	56.26
	70.0	24.51	-5125.46	83.05	54.98		70.0	24.51	-5124.53	83.05	54.98
	75.0	25.01	-4847.32	86.89	55.61		75.0	25.01	-4847.03	86.88	55.62
							80.0	25.55	-4568.54	90.48	55.65
	55.0	23.18	-5337.39	69.81	54.50		55.0	23.17	-5928.65	69.77	54.42
	60.0	23.59	-5666.03	74.55	55.03		60.0	23.58	-5656.71	74.51	54.99
	65.0	24.04	-5391.32	78.94	56.29		65.0	24.02	-5382.81	78.90	56.30
	70.0	24.50	-5117.41	83.01	54.98		70.0	24.49	-5108.48	82.96	54.97
5.00000	75.0	25.00	-4840.12	86.84	55.67	10.00000	75.0	24.98	-4831.43	86.79	55.74
	80.0	25.53	-4561.34	90.44	55.66		80.0	25.51	-4553.42	90.39	55.68
	85.0	26.10	-4281.39	93.84	55.99		85.0	26.08	-4273.96	93.77	56.00
	90.0	26.71	-3999.33	97.06	56.86		90.0	26.69	-3992.32	97.00	56.71
	95.0	27.39	-3714.08	100.16	57.70		95.0	27.36	-3707.13	100.09	57.58
	55.0	23.14	-5309.38	69.70	54.27		55.0	23.12	-5891.49	69.62	54.11
	60.0	23.56	-5638.40	74.42	54.93		60.0	23.54	-5619.98	74.34	54.88
	65.0	24.00	-5364.61	78.81	56.31		65.0	23.98	-5346.48	78.72	56.30
	70.0	24.46	-5090.61	82.87	54.96		70.0	24.43	-5072.72	82.78	54.94
20.00000	75.0	24.95	-4814.19	86.69	55.84	30.00000	75.0	24.92	-4796.83	86.59	55.36
	80.0	25.48	-4536.60	90.28	55.68		80.0	25.43	-4519.75	90.17	55.67
	85.0	26.03	-4257.86	93.66	55.99		85.0	25.99	-4241.68	93.55	55.68
	90.0	26.64	-3977.17	96.88	56.46		90.0	26.59	-3961.89	96.75	56.25
	95.0	27.30	-3693.11	99.95	57.35		95.0	27.23	-3678.84	99.82	56.92
	55.0	23.11	-5872.78	69.54	53.96		55.0	23.09	-5854.53	69.45	54.10
	60.0	23.52	-5601.46	74.26	54.85		60.0	23.50	-5583.08	74.18	54.81
	65.0	23.95	-5328.17	78.63	55.49		65.0	23.93	-5310.04	78.54	55.51
	70.0	24.40	-5054.91	82.69	54.91		70.0	24.39	-5036.89	82.60	54.88
40.00000	75.0	24.89	-4779.38	86.50	55.42	50.00000	75.0	24.85	-4761.95	86.40	55.45
	80.0	25.40	-4502.38	90.07	55.64		80.0	25.36	-4485.98	89.96	55.60
	85.0	25.94	-4225.37	93.44	55.65		85.0	25.90	-4209.03	93.32	55.60
	90.0	26.53	-3946.48	96.63	56.07		90.0	26.48	-3930.94	96.51	55.91
	95.0	27.16	-3664.39	99.68	56.73		95.0	27.11	-3649.80	99.55	56.54
	60.0	23.48	-5364.61	74.09	54.77		60.0	23.46	-5546.12	74.01	54.73
	65.0	23.90	-5291.32	78.46	55.52		65.0	23.88	-5273.79	78.37	55.51
	70.0	24.35	-5119.35	82.51	54.85		70.0	24.32	-5001.02	82.42	54.81
60.00000	75.0	24.82	-4744.51	86.30	55.46	70.00000	75.0	24.79	-4727.07	86.21	55.46
	80.0	25.32	-4463.16	89.86	55.55		80.0	25.29	-4452.10	89.76	55.49
	85.0	25.86	-4192.51	93.22	55.53		85.0	25.82	-4176.07	93.11	55.46
	90.0	26.43	-3915.29	96.39	55.77		90.0	26.39	-3899.53	96.27	55.65
	95.0	27.05	-3635.09	99.42	56.37		95.0	26.99	-3620.25	99.29	56.22

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.80

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	22.94	-5936.73	68.34	54.79		55.0	22.94	-5935.79	68.33	54.78
	60.0	23.36	-5563.65	73.10	55.36		60.0	23.36	-5562.72	73.09	55.36
0.50000	65.0	23.80	-5387.34	77.51	56.75	1.01325	65.0	23.80	-5387.02	77.51	56.75
	70.0	24.26	-5111.36	81.60	55.25		70.0	24.26	-5111.04	81.61	55.25
	75.0	24.76	-4832.64	85.47	55.96		75.0	24.76	-4831.76	85.46	55.97
							80.0	25.30	-4551.45	89.08	55.98
	55.0	22.93	-5328.43	68.31	54.71		55.0	22.92	-5913.19	68.27	54.62
	60.0	23.35	-5555.47	73.06	55.33		60.0	23.34	-5646.24	73.02	55.28
	65.0	23.79	-5379.35	77.47	56.78		65.0	23.73	-5370.93	77.43	56.81
	70.0	24.25	-5103.39	81.57	55.25		70.0	24.23	-5095.16	81.52	55.25
5.00000	75.0	24.75	-4824.33	85.42	56.04	10.00000	75.0	24.73	-4816.34	85.37	56.12
	80.0	25.28	-4544.93	89.04	56.00		80.0	25.25	-4536.52	88.99	56.03
	85.0	25.85	-4263.13	92.46	56.35		85.0	25.83	-4255.11	92.40	56.36
	90.0	26.46	-3978.71	95.71	57.30		90.0	26.44	-3971.33	95.65	57.14
	95.0	27.14	-3690.68	98.84	58.19		95.0	27.11	-3683.88	98.76	58.07
	55.0	22.90	-5900.72	68.19	54.44		55.0	22.88	-5882.46	68.11	54.27
	60.0	23.32	-5528.15	72.93	55.22		60.0	23.30	-5609.95	72.85	55.17
	65.0	23.76	-5352.33	77.34	56.83		65.0	23.73	-5335.01	77.25	56.83
	70.0	24.21	-5077.48	81.43	55.24		70.0	24.18	-5059.79	81.33	55.23
20.00000	75.0	24.70	-4799.22	85.27	56.26	30.00000	75.0	24.67	-4782.20	85.17	55.72
	80.0	25.22	-4519.31	88.88	56.05		80.0	25.18	-4503.29	88.77	56.05
	85.0	25.78	-4239.25	92.28	56.37		85.0	25.74	-4223.31	92.17	56.03
	90.0	26.39	-3956.46	95.53	56.87		90.0	26.34	-3941.45	95.40	56.65
	95.0	27.05	-3670.16	98.62	57.83		95.0	26.98	-3656.18	98.49	57.36
	55.0	22.87	-5363.95	68.03	54.10		55.0	22.86	-5845.99	67.95	54.27
	60.0	23.28	-5591.62	72.77	55.14		60.0	23.26	-5573.46	72.69	55.10
	65.0	23.70	-5316.39	77.17	55.88		65.0	23.68	-5298.98	77.08	55.92
	70.0	24.15	-5042.08	81.24	55.21		70.0	24.13	-5024.36	81.15	55.18
40.00000	75.0	24.64	-4764.36	85.08	55.80	50.00000	75.0	24.60	-4747.74	84.98	55.84
	80.0	25.15	-4486.66	88.67	56.03		80.0	25.11	-4469.99	88.56	56.00
	85.0	25.69	-4207.23	92.06	56.01		85.0	25.65	-4191.12	91.95	55.97
	90.0	26.29	-3926.30	95.28	56.46		90.0	26.23	-3911.02	95.16	56.30
	95.0	26.92	-3642.11	98.35	57.17		95.0	26.86	-3627.70	98.22	56.98
	60.0	23.23	-5555.19	72.60	55.06		60.0	23.21	-5536.92	72.52	55.02
	65.0	23.66	-5281.08	77.00	55.94		65.0	23.64	-5263.17	76.91	55.94
	70.0	24.10	-5006.63	81.06	55.16		70.0	24.08	-4988.91	80.97	55.13
60.00000	75.0	24.57	-4730.54	84.88	55.86	70.00000	75.0	24.54	-4713.33	84.79	55.88
	80.0	25.08	-4453.31	88.46	55.96		80.0	25.04	-4436.59	88.36	55.90
	85.0	25.61	-4174.33	91.84	55.91		85.0	25.57	-4159.63	91.73	55.84
	90.0	26.18	-3895.63	95.04	56.16		90.0	26.13	-3880.12	94.92	56.04
	95.0	26.80	-3613.28	98.09	56.81		95.0	26.74	-3598.72	97.96	56.66

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.88

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	22.74	-5334.36	66.66	54.96		55.0	22.74	-5933.42	66.65	54.96
	60.0	23.15	-5660.42	71.43	55.61		60.0	23.15	-5659.51	71.42	55.60
0.50000	65.0	23.59	-5383.51	75.86	57.15	1.01325	65.0	23.59	-5382.61	75.86	57.15
	70.0	24.05	-5106.33	79.97	55.47		70.0	24.04	-5105.42	79.97	55.47
	75.0	24.55	-4825.51	83.85	56.26		75.0	24.55	-4824.64	83.84	56.26
							80.0	25.09	-4542.81	87.48	56.25
	55.0	22.73	-5926.13	66.62	54.88		55.0	22.72	-5916.97	66.58	54.78
	60.0	23.14	-5652.33	71.39	55.57		60.0	23.13	-5643.16	71.35	55.53
	65.0	23.58	-5375.62	75.82	57.19		65.0	23.57	-5366.67	75.78	57.22
	70.0	24.03	-5098.43	79.93	55.48		70.0	24.02	-5089.67	79.88	55.48
5.00000	75.0	24.54	-4817.98	83.80	56.35	10.00000	75.0	24.52	-4809.37	83.75	56.44
	80.0	25.06	-4536.26	87.44	56.28		80.0	25.04	-4528.03	87.39	56.32
	85.0	25.63	-4252.32	90.89	56.64		85.0	25.61	-4245.00	90.83	56.66
	90.0	26.25	-3966.71	94.16	57.66		90.0	26.22	-3959.44	94.09	57.49
	95.0	26.93	-3676.30	97.30	58.60		95.0	26.89	-3670.11	97.22	58.48
	55.0	22.70	-5898.67	66.50	54.59		55.0	22.63	-5880.60	66.42	54.40
	60.0	23.11	-5625.26	71.27	55.46		60.0	23.03	-5607.22	71.18	55.41
	65.0	23.55	-5348.33	75.69	57.26		65.0	23.52	-5331.07	75.60	57.26
	70.0	24.00	-5072.15	79.79	55.48		70.0	23.97	-5054.61	79.70	55.47
20.00000	75.0	24.49	-4792.42	83.65	56.60	30.00000	75.0	24.45	-4775.59	83.55	56.01
	80.0	25.01	-4511.59	87.28	56.35		80.0	24.97	-4495.14	87.18	56.36
	85.0	25.56	-4229.32	90.71	56.69		85.0	25.52	-4213.57	90.60	56.32
	90.0	26.17	-3944.78	93.97	57.20		90.0	26.12	-3929.98	93.84	56.98
	95.0	26.83	-3656.63	97.08	58.23		95.0	26.76	-3642.87	96.95	57.73
	55.0	22.67	-5862.25	66.35	54.22		55.0	22.65	-5844.52	66.26	54.41
	60.0	23.07	-5589.05	71.10	55.38		60.0	23.05	-5571.07	71.02	55.35
	65.0	23.49	-5313.10	75.52	56.21		65.0	23.47	-5295.36	75.43	56.26
	70.0	23.94	-5037.06	79.61	55.46		70.0	23.92	-5019.51	79.52	55.44
40.00000	75.0	24.42	-4758.52	83.46	56.11	50.00000	75.0	24.38	-4741.48	83.36	56.17
	80.0	24.94	-4478.69	87.07	56.36		80.0	24.91	-4462.22	86.96	56.33
	85.0	25.48	-4197.67	90.49	56.31		85.0	25.44	-4181.74	90.38	56.28
	90.0	26.07	-3915.04	93.72	56.79		90.0	26.02	-3899.96	93.60	56.62
	95.0	26.70	-3628.32	96.81	57.54		95.0	26.65	-3614.83	96.68	57.34
	60.0	23.03	-5552.37	70.94	55.30		60.0	23.01	-5534.86	70.86	55.26
	65.0	23.45	-5277.64	75.35	56.29		65.0	23.43	-5259.91	75.26	56.29
	70.0	23.89	-5001.34	79.43	55.41		70.0	23.87	-4984.38	79.34	55.39
60.00000	75.0	24.36	-4724.45	83.26	56.20	70.00000	75.0	24.33	-4707.43	83.17	56.22
	80.0	24.86	-4445.73	86.86	56.30		80.0	24.82	-4429.20	86.76	56.24
	85.0	25.40	-4165.62	90.27	56.23		85.0	25.36	-4149.61	90.16	56.16
	90.0	25.97	-3884.77	93.48	56.48		90.0	25.92	-3868.47	93.36	56.36
	95.0	26.59	-3600.62	96.55	57.18		95.0	26.53	-3585.28	96.42	57.02

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.30

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	22.68	-5334.58	66.15	55.01		55.0	22.68	-5933.65	66.14	55.00
	60.0	23.10	-5560.43	70.92	55.67		60.0	23.10	-5659.52	70.92	55.66
0.50000	65.0	23.53	-5383.21	75.36	57.25	1.01325	65.0	23.53	-5382.31	75.36	57.25
	70.0	24.00	-5105.71	79.47	55.53		70.0	23.93	-5104.80	79.47	55.53
	75.0	24.49	-4824.51	83.36	56.33		75.0	24.49	-4823.64	83.35	56.34
							80.0	25.02	-4541.42	87.00	56.32
	55.0	22.67	-5326.37	66.11	54.92		55.0	22.66	-5917.23	66.07	54.82
	60.0	23.09	-5552.35	70.88	55.63		60.0	23.03	-5643.20	70.84	55.59
	65.0	23.52	-5375.33	75.32	57.30		65.0	23.51	-5366.41	75.28	57.33
	70.0	23.98	-5097.93	79.43	55.54		70.0	23.97	-5089.09	79.38	55.54
5.00000	75.0	24.48	-4816.30	83.31	56.42	10.00000	75.0	24.46	-4808.41	83.26	56.52
	80.0	25.00	-4534.38	86.96	56.36		80.0	24.98	-4526.67	86.91	56.39
	85.0	25.58	-4251.03	90.40	56.71		85.0	25.56	-4243.23	90.34	56.74
	90.0	26.19	-3964.46	93.68	57.75		90.0	26.17	-3957.21	93.61	57.58
	95.0	26.87	-3674.17	96.82	58.70		95.0	26.84	-3667.41	96.75	58.58
	55.0	22.64	-5493.38	65.99	54.63		55.0	22.62	-5880.96	65.91	54.43
	60.0	23.06	-5525.35	70.76	55.52		60.0	23.04	-5607.35	70.67	55.47
	65.0	23.49	-5348.60	75.19	57.37		65.0	23.47	-5330.88	75.10	57.37
	70.0	23.95	-5071.61	79.29	55.54		70.0	23.91	-5054.11	79.20	55.53
20.00000	75.0	24.43	-4791.50	83.16	56.69	30.00000	75.0	24.40	-4774.72	83.06	56.08
	80.0	24.95	-4510.28	86.80	56.43		80.0	24.91	-4493.88	86.69	56.44
	85.0	25.50	-4227.60	90.22	56.77		85.0	25.46	-4211.89	90.11	56.39
	90.0	26.12	-3942.61	93.49	57.29		90.0	26.07	-3927.86	93.36	57.06
	95.0	26.76	-3653.38	96.61	58.33		95.0	26.71	-3640.28	96.48	57.82
	55.0	22.61	-5862.64	65.84	54.25		55.0	22.53	-5844.97	65.75	54.45
	60.0	23.02	-5583.22	70.59	55.44		60.0	23.00	-5571.28	70.51	55.41
	65.0	23.44	-5312.35	75.01	56.29		65.0	23.42	-5295.26	74.92	56.35
	70.0	23.98	-5036.60	79.11	55.53		70.0	23.86	-5019.09	79.02	55.50
40.00000	75.0	24.37	-4757.69	82.97	56.19	50.00000	75.0	24.34	-4740.69	82.87	56.25
	80.0	24.88	-4477.47	86.58	56.44		80.0	24.84	-4461.04	86.48	56.42
	85.0	25.42	-4196.13	90.00	56.39		85.0	25.38	-4180.15	89.89	56.36
	90.0	26.01	-3912.37	93.24	56.87		90.0	25.96	-3897.94	93.12	56.70
	95.0	26.65	-3626.38	96.34	57.63		95.0	26.53	-3612.34	96.21	57.44
	60.0	22.98	-5553.23	70.43	55.37		60.0	22.96	-5535.16	70.35	55.33
	65.0	23.40	-5277.58	74.84	56.38		65.0	23.38	-5259.89	74.75	56.38
	70.0	23.83	-5001.56	78.93	55.48		70.0	23.81	-4984.04	78.84	55.45
60.00000	75.0	24.31	-4723.71	82.77	56.28	70.00000	75.0	24.28	-4706.74	82.68	56.31
	80.0	24.81	-4444.60	86.38	56.38		80.0	24.77	-4428.12	86.28	56.33
	85.0	25.34	-4164.17	89.78	56.31		85.0	25.30	-4148.11	89.67	56.24
	90.0	25.91	-3882.30	93.00	56.56		90.0	25.86	-3867.55	92.88	56.44
	95.0	26.53	-3598.19	96.08	57.27		95.0	26.47	-3583.91	95.95	57.11

TABLE A-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =1.00

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K	10^5PA	K	CM^3/MOL	J/MOL	J/MOL-K	J/MOL-K
	55.0	22.41	-5341.30	62.39	55.24		55.0	22.41	-5940.38	62.38	55.23
	60.0	22.82	-5565.31	67.18	55.99		60.0	22.82	-5664.90	67.18	55.98
0.50000	65.0	23.25	-5386.38	71.64	57.78	1.01325	65.0	23.25	-5386.09	71.64	57.78
	70.0	23.71	-5107.36	75.78	55.82		70.0	23.70	-5106.97	75.78	55.82
	75.0	24.20	-4824.68	79.69	56.71		75.0	24.20	-4823.82	79.68	56.72
							80.0	24.73	-4539.64	83.35	56.68
	55.0	22.40	-5333.20	62.35	55.14		55.0	22.39	-5924.18	62.31	55.03
	60.0	22.81	-5557.32	67.14	55.95		60.0	22.80	-5648.94	67.10	55.90
	65.0	23.24	-5379.21	71.60	57.83		65.0	23.23	-5370.59	71.56	57.87
	70.0	23.69	-5100.07	75.74	55.83		70.0	23.69	-5091.42	75.69	55.84
5.00000	75.0	24.19	-4817.16	79.64	56.82	10.00000	75.0	24.17	-4808.77	79.59	56.94
	80.0	24.71	-4533.18	83.31	56.72		80.0	24.69	-4525.07	83.26	56.77
	85.0	25.28	-4247.11	86.78	57.09		85.0	25.26	-4239.42	86.72	57.13
	90.0	25.89	-3959.19	90.08	58.22		90.0	25.87	-3951.07	90.01	58.04
	95.0	26.57	-3665.35	93.25	59.23		95.0	26.54	-3653.82	93.17	59.11
	55.0	22.37	-5906.17	62.23	54.82		55.0	22.35	-5888.14	62.15	54.60
	60.0	22.78	-5631.16	67.02	55.83		60.0	22.76	-5613.36	66.93	55.78
	65.0	23.21	-5352.95	71.47	57.92		65.0	23.19	-5335.41	71.38	57.93
	70.0	23.66	-5074.12	75.60	55.85		70.0	23.63	-5056.82	75.51	55.85
20.00000	75.0	24.14	-4792.07	79.49	57.14	30.00000	75.0	24.11	-4775.52	79.39	56.46
	80.0	24.66	-4509.98	83.15	56.82		80.0	24.62	-4492.69	83.04	56.85
	85.0	25.21	-4224.01	86.60	57.18		85.0	25.17	-4208.53	86.49	56.77
	90.0	25.82	-3936.72	89.89	57.73		90.0	25.77	-3922.22	89.76	57.49
	95.0	26.48	-3645.67	93.03	58.85		95.0	26.41	-3632.24	92.90	58.30
	55.0	22.34	-5870.12	62.08	54.40		55.0	22.32	-5852.64	61.99	54.63
	60.0	22.74	-5595.54	66.85	55.75		60.0	22.72	-5577.70	66.77	55.72
	65.0	23.16	-5317.64	71.30	56.72		65.0	23.14	-5300.15	71.21	56.79
	70.0	23.60	-5039.51	75.42	55.85		70.0	23.58	-5022.20	75.33	55.83
40.00000	75.0	24.08	-4758.70	79.30	56.59	50.00000	75.0	24.06	-4741.92	79.20	56.67
	80.0	24.59	-4476.50	82.94	56.86		80.0	24.55	-4460.30	82.83	56.85
	85.0	25.13	-4192.39	86.38	56.78		85.0	25.09	-4177.23	86.27	56.76
	90.0	25.72	-3907.58	89.64	57.29		90.0	25.67	-3892.80	89.52	57.12
	95.0	26.35	-3618.59	92.76	58.11		95.0	26.30	-3604.81	92.63	57.91
	55.0	22.30	-5834.56	61.91	54.41		55.0	22.28	-5815.45	61.83	54.20
	60.0	22.70	-5553.36	66.69	55.68		60.0	22.68	-5542.01	66.61	55.64
	65.0	23.12	-5282.67	71.13	56.83		65.0	23.10	-5265.20	71.04	56.84
	70.0	23.55	-5004.38	75.24	55.81		70.0	23.53	-4987.56	75.15	55.79
60.00000	75.0	24.02	-4725.16	79.10	56.72	70.00000	75.0	23.98	-4708.42	79.01	56.76
	80.0	24.52	-4444.18	82.73	56.82		80.0	24.48	-4427.84	82.63	56.77
	85.0	25.05	-4161.53	86.16	56.72		85.0	25.01	-4145.79	86.05	56.66
	90.0	25.62	-3877.30	89.40	56.98		90.0	25.57	-3862.89	89.28	56.86
	95.0	26.24	-3590.32	92.50	57.74		95.0	26.18	-3576.90	92.37	57.58

TABLE B-1. THERMODYNAMIC PROPERTIES OF LIQUID FLUORINE-OXYGEN MIXTURES ON THE SATURATION BOUNDARY

TEMPERATURE	WT. FRACTION F2		PRESSURE	VOLUME	ENTHALPY	ENTROPY	C_p
R	LIQUID	VAPOR	PSIA	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
100.0	0.6000	0.7552	0.0577	0.01063	-72.215	0.4828	0.3661
	0.7000	0.8139	0.0606	0.01034	-70.761	0.4677	0.3603
	0.8000	0.8720	0.0634	0.01005	-69.391	0.4495	0.3556
	0.8800	0.9203	0.0656	0.00982	-68.359	0.4322	0.3514
	0.9000	0.9328	0.0660	0.00976	-68.111	0.4274	0.3503
	1.0000	1.0000	0.0685	0.00946	-66.930	0.3959	0.3451
110.0	0.6000	0.7514	0.2461	0.01084	-68.543	0.5178	0.3633
	0.7000	0.8127	0.2590	0.01055	-67.140	0.5022	0.3583
	0.8000	0.8725	0.2712	0.01026	-65.820	0.4836	0.3525
	0.8800	0.9213	0.2805	0.01002	-64.828	0.4659	0.3481
	0.9000	0.9338	0.2828	0.00996	-64.590	0.4609	0.3470
	1.0000	1.0000	0.2937	0.00966	-63.458	0.4290	0.3413
120.0	0.6000	0.7447	0.8092	0.01107	-64.850	0.5499	0.3667
	0.7000	0.8088	0.8511	0.01078	-63.494	0.5339	0.3615
	0.8000	0.8708	0.8910	0.01047	-62.219	0.5149	0.3554
	0.8800	0.9208	0.9216	0.01023	-61.264	0.4969	0.3522
	0.9000	0.9336	0.9291	0.01017	-61.034	0.4919	0.3511
	1.0000	1.0000	0.9655	0.00986	-59.948	0.4595	0.3459
130.0	0.6000	0.7371	2.1809	0.01132	-61.135	0.5797	0.3688
	0.7000	0.8039	2.2912	0.01101	-59.822	0.5633	0.3639
	0.8000	0.8683	2.3966	0.01071	-58.592	0.5440	0.3588
	0.8800	0.9198	2.4780	0.01046	-57.672	0.5257	0.3543
	0.9000	0.9328	2.4980	0.01040	-57.451	0.5206	0.3533
	1.0000	1.0000	2.5952	0.01008	-56.408	0.4878	0.3483
140.0	0.6000	0.7296	5.0370	0.01157	-57.397	0.6073	0.3707
	0.7000	0.7990	5.2846	0.01127	-56.126	0.5907	0.3657
	0.8000	0.8656	5.5225	0.01096	-54.939	0.5710	0.3609
	0.8800	0.9185	5.7067	0.01071	-54.053	0.5524	0.3569
	0.9000	0.9319	5.7519	0.01064	-53.841	0.5473	0.3560
	1.0000	1.0000	5.9731	0.01032	-52.840	0.5142	0.3511
150.0	0.6000	0.7227	10.2958	0.01185	-53.634	0.6332	0.3740
	0.7000	0.7945	10.7897	0.01154	-52.406	0.6163	0.3694
	0.8000	0.8631	11.2663	0.01123	-51.259	0.5964	0.3648
	0.8800	0.9174	11.6369	0.01097	-50.404	0.5776	0.3611
	0.9000	0.9309	11.7281	0.01091	-50.200	0.5723	0.3601
	1.0000	1.0000	12.1755	0.01058	-49.240	0.5390	0.3555
160.0	0.6000	0.7166	19.0933	0.01216	-49.837	0.6576	0.3809
	0.7000	0.7904	19.9913	0.01184	-48.648	0.6404	0.3770
	0.8000	0.8609	20.8626	0.01152	-47.541	0.6203	0.3731
	0.8800	0.9163	21.5430	0.01126	-46.718	0.6013	0.3699
	0.9000	0.9301	21.7108	0.01120	-46.522	0.5960	0.3691
	1.0000	1.0000	22.5372	0.01086	-45.600	0.5623	0.3652
170.0	0.6000	0.7107	32.7573	0.01249	-45.987	0.6808	0.3863
	0.7000	0.7864	34.2707	0.01217	-44.837	0.6634	0.3826
	0.8000	0.8586	35.7466	0.01184	-43.767	0.6430	0.3789
	0.8800	0.9152	36.9040	0.01158	-42.975	0.6238	0.3759
	0.9000	0.9292	37.1904	0.01151	-42.787	0.6184	0.3752
	1.0000	1.0000	38.6038	0.01118	-41.903	0.5845	0.3715
180.0	0.6000	0.7043	52.7445	0.01286	-42.067	0.7030	0.3923
	0.7000	0.7824	55.1428	0.01253	-40.953	0.6854	0.3892
	0.8000	0.8563	57.4945	0.01220	-39.921	0.6647	0.3857
	0.8800	0.9140	59.3467	0.01194	-39.158	0.6453	0.3829
	0.9000	0.9283	59.8061	0.01187	-38.977	0.6399	0.3822
	1.0000	1.0000	62.0800	0.01152	-38.131	0.6058	0.3787

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.60

PRESSURE PSIA	TEMPERATURE R	VOLUME FT^3/LB	ENTHALPY BTU/LB	ENTROPY BTU/LB/R	C_P BTU/LB/R
8.000	100.0	0.01063	-72.203	0.4828	0.3695
	110.0	0.01084	-68.532	0.5178	0.3699
	120.0	0.01107	-64.840	0.5499	0.3726
	130.0	0.01132	-61.125	0.5797	0.3722
	140.0	0.01157	-57.395	0.6073	0.3729
14.696	100.0	0.01063	-72.192	0.4828	0.3694
	110.0	0.01084	-68.522	0.5177	0.3700
	120.0	0.01107	-64.830	0.5499	0.3726
	130.0	0.01132	-61.115	0.5796	0.3722
	140.0	0.01157	-57.385	0.6073	0.3729
	150.0	0.01185	-53.630	0.6332	0.3753
30.000	100.0	0.01063	-72.168	0.4827	0.3693
	110.0	0.01084	-68.498	0.5177	0.3700
	120.0	0.01107	-64.807	0.5498	0.3727
	130.0	0.01131	-61.092	0.5795	0.3722
	140.0	0.01157	-57.363	0.6072	0.3729
	150.0	0.01185	-53.603	0.6331	0.3753
	160.0	0.01215	-49.827	0.6576	0.3795
50.000	100.0	0.01063	-72.137	0.4826	0.3692
	110.0	0.01084	-68.467	0.5176	0.3700
	120.0	0.01107	-64.776	0.5497	0.3727
	130.0	0.01131	-61.063	0.5795	0.3722
	140.0	0.01157	-57.333	0.6071	0.3730
	150.0	0.01185	-53.581	0.6330	0.3753
	160.0	0.01215	-49.801	0.6575	0.3793
	170.0	0.01248	-45.972	0.6807	0.3870
100.000	100.0	0.01062	-72.058	0.4824	0.3688
	110.0	0.01084	-68.383	0.5174	0.3700
	120.0	0.01106	-64.693	0.5495	0.3729
	130.0	0.01131	-60.988	0.5793	0.3722
	140.0	0.01156	-57.261	0.6069	0.3729
	150.0	0.01184	-53.513	0.6327	0.3753
	160.0	0.01214	-49.736	0.6572	0.3788
	170.0	0.01248	-45.912	0.6804	0.3865
	180.0	0.01284	-42.025	0.7027	0.3933
200.000	100.0	0.01062	-71.900	0.4820	0.3682
	110.0	0.01083	-68.233	0.5170	0.3700
	120.0	0.01106	-64.545	0.5491	0.3732
	130.0	0.01130	-60.839	0.5788	0.3722
	140.0	0.01155	-57.116	0.6064	0.3729
	150.0	0.01183	-53.371	0.6322	0.3753
	160.0	0.01213	-49.605	0.6566	0.3778
	170.0	0.01245	-45.791	0.6797	0.3836
	180.0	0.01282	-41.917	0.7019	0.3917
300.000	100.0	0.01061	-71.742	0.4817	0.3676
	110.0	0.01082	-68.077	0.5166	0.3701
	120.0	0.01105	-64.392	0.5486	0.3733
	130.0	0.01129	-60.683	0.5783	0.3722
	140.0	0.01154	-56.971	0.6059	0.3729
	150.0	0.01181	-53.232	0.6317	0.3753
	160.0	0.01211	-49.474	0.6560	0.3757
	170.0	0.01244	-45.663	0.6791	0.3828
	180.0	0.01279	-41.803	0.7012	0.3902
400.000	100.0	0.01060	-71.584	0.4813	0.3670
	110.0	0.01082	-67.922	0.5162	0.3701
	120.0	0.01104	-64.231	0.5483	0.3713
	130.0	0.01127	-60.540	0.5779	0.3722
	140.0	0.01153	-56.825	0.6054	0.3728
	150.0	0.01180	-53.092	0.6312	0.3751
	160.0	0.01210	-49.341	0.6555	0.3751
	170.0	0.01241	-45.545	0.6785	0.3820
	180.0	0.01277	-41.697	0.7005	0.3888
500.000	100.0	0.01060	-71.426	0.4809	0.3663
	110.0	0.01081	-67.766	0.5158	0.3702
	120.0	0.01103	-64.077	0.5479	0.3717
	130.0	0.01127	-60.390	0.5774	0.3721
	140.0	0.01152	-56.681	0.6050	0.3728
	150.0	0.01179	-52.953	0.6307	0.3737
	160.0	0.01208	-49.207	0.6549	0.3749
	170.0	0.01239	-45.421	0.6779	0.3812
	180.0	0.01275	-41.585	0.6998	0.3873
1000.000	100.0	0.01057	-70.637	0.4791	0.3642
	110.0	0.01078	-66.985	0.5138	0.3698
	120.0	0.01099	-63.310	0.5459	0.3724
	130.0	0.01122	-59.641	0.5753	0.3717
	140.0	0.01147	-55.950	0.6027	0.3718
	150.0	0.01172	-52.244	0.6282	0.3730
	160.0	0.01200	-48.532	0.6522	0.3729
	170.0	0.01230	-44.790	0.6749	0.3775
	180.0	0.01263	-41.006	0.6966	0.3814

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.70

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R	PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
	100.0	0.01034	-70.743	0.4677	0.3647		100.0	0.01034	-70.739	0.4676	0.3647
	110.0	0.01055	-67.130	0.5022	0.3653		110.0	0.01055	-67.120	0.5021	0.3653
8.000	120.0	0.01078	-63.484	0.5340	0.3683	14.696	120.0	0.01078	-63.474	0.5339	0.3684
	130.0	0.01102	-59.813	0.5633	0.3677		130.0	0.01101	-59.803	0.5633	0.3677
	140.0	0.01127	-56.126	0.5907	0.3684		140.0	0.01127	-56.116	0.5907	0.3685
							150.0	0.01154	-52.403	0.6163	0.3708
	100.0	0.01034	-70.716	0.4676	0.3645		100.0	0.01034	-70.685	0.4675	0.3644
	110.0	0.01055	-67.096	0.5021	0.3653		110.0	0.01055	-67.066	0.5020	0.3654
	120.0	0.01078	-63.451	0.5338	0.3685		120.0	0.01077	-63.421	0.5338	0.3685
30.000	130.0	0.01101	-59.781	0.5632	0.3677	50.000	130.0	0.01101	-59.752	0.5631	0.3677
	140.0	0.01127	-56.095	0.5906	0.3684		140.0	0.01127	-56.066	0.5905	0.3685
	150.0	0.01154	-52.382	0.6162	0.3709		150.0	0.01154	-52.355	0.6161	0.3709
	160.0	0.01184	-48.639	0.6404	0.3754		160.0	0.01184	-48.614	0.6403	0.3752
							170.0	0.01216	-44.823	0.6633	0.3835
	100.0	0.01034	-70.603	0.4674	0.3640		100.0	0.01033	-70.455	0.4670	0.3633
	110.0	0.01055	-66.990	0.5018	0.3654		110.0	0.01054	-66.839	0.5014	0.3655
	120.0	0.01077	-63.347	0.5336	0.3687		120.0	0.01076	-63.197	0.5332	0.3691
	130.0	0.01101	-59.673	0.5629	0.3678		130.0	0.01099	-59.534	0.5625	0.3679
100.000	140.0	0.01126	-55.996	0.5903	0.3685	200.000	140.0	0.01125	-55.855	0.5898	0.3685
	150.0	0.01153	-52.286	0.6159	0.3710		150.0	0.01152	-52.152	0.6153	0.3710
	160.0	0.01183	-48.551	0.6400	0.3746		160.0	0.01181	-48.425	0.6395	0.3735
	170.0	0.01216	-44.766	0.6630	0.3829		170.0	0.01214	-44.650	0.6624	0.3797
	180.0	0.01252	-40.914	0.6850	0.3899		180.0	0.01249	-40.811	0.6844	0.3884
	100.0	0.01033	-70.302	0.4666	0.3626		100.0	0.01032	-70.148	0.4663	0.3619
	110.0	0.01053	-66.687	0.5011	0.3656		110.0	0.01053	-66.537	0.5007	0.3657
	120.0	0.01075	-63.048	0.5327	0.3694		120.0	0.01074	-62.891	0.5324	0.3671
	130.0	0.01098	-59.383	0.5621	0.3679		130.0	0.01098	-59.244	0.5616	0.3680
300.000	140.0	0.01123	-55.714	0.5893	0.3686	400.000	140.0	0.01123	-55.573	0.5888	0.3686
	150.0	0.01151	-52.017	0.6149	0.3711		150.0	0.01149	-51.881	0.6143	0.3710
	160.0	0.01180	-48.298	0.6389	0.3712		160.0	0.01178	-48.170	0.6383	0.3707
	170.0	0.01212	-44.531	0.6618	0.3790		170.0	0.01210	-44.413	0.6611	0.3782
	180.0	0.01247	-40.707	0.6836	0.3869		180.0	0.01245	-40.601	0.6830	0.3853
	100.0	0.01031	-69.994	0.4659	0.3612		100.0	0.01029	-69.228	0.4641	0.3589
	110.0	0.01052	-66.385	0.5003	0.3658		110.0	0.01049	-65.627	0.4983	0.3655
	120.0	0.01074	-62.741	0.5320	0.3675		120.0	0.01070	-61.996	0.5300	0.3686
	130.0	0.01097	-59.069	0.5611	0.3679		130.0	0.01092	-58.372	0.5590	0.3678
500.000	140.0	0.01122	-55.432	0.5884	0.3687	1000.000	140.0	0.01116	-54.724	0.5861	0.3678
	150.0	0.01148	-51.743	0.6139	0.3695		150.0	0.01142	-51.060	0.6113	0.3691
	160.0	0.01177	-48.041	0.6377	0.3705		160.0	0.01169	-47.388	0.6351	0.3688
	170.0	0.01208	-44.293	0.6606	0.3774		170.0	0.01199	-43.684	0.6576	0.3738
	180.0	0.01243	-40.494	0.6823	0.3839		180.0	0.01231	-39.938	0.6790	0.3779

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.80

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R	PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
	100.0	0.01005	-69.373	0.4496	0.3600		100.0	0.01005	-69.369	0.4495	0.3600
	110.0	0.01026	-65.810	0.4836	0.3507		110.0	0.01026	-65.800	0.4836	0.3607
8.000	120.0	0.01047	-62.210	0.5149	0.3641	14.696	120.0	0.01047	-62.200	0.5149	0.3641
	130.0	0.01071	-58.582	0.5440	0.3633		130.0	0.01071	-58.573	0.5439	0.3634
	140.0	0.01096	-54.939	0.5710	0.3639		140.0	0.01096	-54.929	0.5710	0.3639
							150.0	0.01123	-51.257	0.5964	0.3665
	100.0	0.01005	-69.347	0.4495	0.3598		100.0	0.01005	-69.317	0.4494	0.3596
	110.0	0.01026	-65.777	0.4835	0.3607		110.0	0.01025	-65.748	0.4834	0.3607
	120.0	0.01047	-62.179	0.5148	0.3543		120.0	0.01047	-62.149	0.5147	0.3643
30.000	130.0	0.01071	-58.551	0.5439	0.3534	50.000	130.0	0.01071	-58.523	0.5438	0.3634
	140.0	0.01095	-54.903	0.5709	0.3639		140.0	0.01095	-54.881	0.5708	0.3640
	150.0	0.01123	-51.237	0.5963	0.3665		150.0	0.01122	-51.211	0.5962	0.3665
	160.0	0.01152	-47.532	0.6202	0.3712		160.0	0.01152	-47.508	0.6201	0.3710
							170.0	0.01184	-43.755	0.6428	0.3800
	100.0	0.01005	-69.242	0.4492	0.3592		100.0	0.01004	-69.093	0.4488	0.3585
	110.0	0.01025	-65.674	0.4832	0.3508		110.0	0.01024	-65.528	0.4828	0.3609
	120.0	0.01047	-62.077	0.5146	0.3646		120.0	0.01046	-61.931	0.5142	0.3650
	130.0	0.01070	-58.453	0.5436	0.3535		130.0	0.01069	-58.312	0.5431	0.3636
100.000	140.0	0.01095	-54.812	0.5706	0.3641	200.000	140.0	0.01093	-54.676	0.5702	0.3642
	150.0	0.01122	-51.144	0.5959	0.3667		150.0	0.01121	-51.013	0.5954	0.3669
	160.0	0.01151	-47.448	0.6198	0.3704		160.0	0.01149	-47.326	0.6192	0.3693
	170.0	0.01183	-43.700	0.6425	0.3794		170.0	0.01181	-43.588	0.6419	0.3759
	180.0	0.01219	-39.884	0.6644	0.3866		180.0	0.01217	-39.786	0.6637	0.3851
	100.0	0.01004	-68.944	0.4484	0.3577		100.0	0.01003	-68.795	0.4481	0.3569
	110.0	0.01024	-65.380	0.4825	0.3511		110.0	0.01023	-65.234	0.4821	0.3613
	120.0	0.01045	-61.787	0.5137	0.3654		120.0	0.01045	-61.632	0.5134	0.3629
	130.0	0.01068	-58.171	0.5427	0.3637		130.0	0.01067	-58.031	0.5423	0.3638
300.000	140.0	0.01093	-54.539	0.5696	0.3543	400.000	140.0	0.01092	-54.402	0.5692	0.3644
	150.0	0.01119	-50.882	0.5950	0.3570		150.0	0.01118	-50.751	0.5944	0.3670
	160.0	0.01148	-47.204	0.6187	0.3668		160.0	0.01146	-47.079	0.6182	0.3663
	170.0	0.01180	-43.474	0.6413	0.3752		170.0	0.01177	-43.360	0.6407	0.3744
	180.0	0.01215	-39.686	0.6630	0.3835		180.0	0.01212	-39.585	0.6623	0.3820
	100.0	0.01002	-68.646	0.4477	0.3562		100.0	0.01000	-67.302	0.4460	0.3536
	110.0	0.01023	-65.087	0.4817	0.3615		110.0	0.01019	-64.350	0.4798	0.3613
	120.0	0.01044	-61.487	0.5131	0.3634		120.0	0.01040	-60.764	0.5111	0.3648
	130.0	0.01066	-57.890	0.5418	0.3638		130.0	0.01062	-57.185	0.5397	0.3639
500.000	140.0	0.01091	-54.265	0.5687	0.3545	1000.000	140.0	0.01086	-53.579	0.5665	0.3638
	150.0	0.01117	-50.616	0.5940	0.3653		150.0	0.01111	-49.955	0.5915	0.3652
	160.0	0.01145	-46.954	0.6176	0.3662		160.0	0.01138	-46.323	0.6150	0.3647
	170.0	0.01176	-43.245	0.6402	0.3737		170.0	0.01167	-42.659	0.6372	0.3700
	180.0	0.01210	-39.482	0.6616	0.3804		180.0	0.01199	-38.950	0.6584	0.3744

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.88

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_p	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_p
PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R	PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
	100.0	0.00982	-68.348	0.4323	0.3562		100.0	0.00982	-68.338	0.4322	0.3562
	110.0	0.01002	-64.813	0.4659	0.3569		110.0	0.01002	-64.809	0.4658	0.3570
8.000	120.0	0.01023	-61.255	0.4969	0.3607	14.696	120.0	0.01023	-61.245	0.4969	0.3608
	130.0	0.01046	-57.662	0.5257	0.3598		130.0	0.01046	-57.652	0.5256	0.3598
	140.0	0.01071	-54.052	0.5525	0.3603		140.0	0.01071	-54.043	0.5525	0.3603
							150.0	0.01097	-50.403	0.5775	0.3629
	100.0	0.00982	-68.316	0.4322	0.3560		100.0	0.00982	-68.287	0.4321	0.3558
	110.0	0.01002	-64.787	0.4658	0.3570		110.0	0.01001	-64.758	0.4657	0.3571
	120.0	0.01023	-61.223	0.4968	0.3609		120.0	0.01023	-61.195	0.4968	0.3610
30.000	130.0	0.01046	-57.631	0.5256	0.3598	50.000	130.0	0.01046	-57.604	0.5255	0.3598
	140.0	0.01070	-54.022	0.5524	0.3603		140.0	0.01070	-53.996	0.5523	0.3604
	150.0	0.01097	-50.384	0.5775	0.3631		150.0	0.01097	-50.358	0.5773	0.3631
	160.0	0.01126	-46.710	0.6012	0.3679		160.0	0.01125	-46.687	0.6011	0.3677
							170.0	0.01158	-42.964	0.6237	0.3771
	100.0	0.00981	-68.214	0.4319	0.3554		100.0	0.00981	-68.069	0.4315	0.3546
	110.0	0.01001	-64.686	0.4655	0.3571		110.0	0.01000	-64.543	0.4651	0.3573
	120.0	0.01022	-61.125	0.4966	0.3613		120.0	0.01022	-60.983	0.4961	0.3618
	130.0	0.01045	-57.535	0.5253	0.3600		130.0	0.01044	-57.398	0.5249	0.3602
100.000	140.0	0.01070	-53.923	0.5521	0.3605	200.000	140.0	0.01069	-53.796	0.5516	0.3607
	150.0	0.01096	-50.293	0.5772	0.3632		150.0	0.01095	-50.165	0.5766	0.3634
	160.0	0.01125	-46.628	0.6008	0.3670		160.0	0.01123	-46.510	0.6002	0.3659
	170.0	0.01157	-42.911	0.6233	0.3766		170.0	0.01155	-42.802	0.6227	0.3728
	180.0	0.01192	-39.124	0.6450	0.3840		180.0	0.01190	-39.029	0.6444	0.3824
	100.0	0.00981	-67.923	0.4312	0.3537		100.0	0.00980	-67.777	0.4308	0.3529
	110.0	0.01000	-64.393	0.4648	0.3575		110.0	0.01000	-64.256	0.4644	0.3577
	120.0	0.01021	-60.842	0.4957	0.3622		120.0	0.01021	-60.689	0.4955	0.3594
	130.0	0.01044	-57.261	0.5245	0.3603		130.0	0.01043	-57.123	0.5240	0.3605
300.000	140.0	0.01068	-53.662	0.5511	0.3609	400.000	140.0	0.01067	-53.529	0.5507	0.3610
	150.0	0.01094	-50.038	0.5761	0.3637		150.0	0.01092	-49.910	0.5757	0.3637
	160.0	0.01122	-46.391	0.5997	0.3632		160.0	0.01120	-46.270	0.5991	0.3627
	170.0	0.01153	-42.692	0.6221	0.3721		170.0	0.01151	-42.581	0.6215	0.3713
	180.0	0.01188	-38.933	0.6437	0.3808		180.0	0.01185	-38.835	0.6429	0.3792
	100.0	0.00979	-67.632	0.4305	0.3521		100.0	0.00976	-66.906	0.4287	0.3494
	110.0	0.00999	-64.113	0.4640	0.3579		110.0	0.00996	-63.393	0.4622	0.3578
	120.0	0.01020	-60.543	0.4951	0.3601		120.0	0.01016	-59.842	0.4932	0.3618
	130.0	0.01042	-56.936	0.5236	0.3605		130.0	0.01038	-56.239	0.5215	0.3607
500.000	140.0	0.01066	-53.295	0.5502	0.3613	1000.000	140.0	0.01061	-52.727	0.5480	0.3606
	150.0	0.01091	-49.773	0.5752	0.3620		150.0	0.01085	-49.134	0.5728	0.3621
	160.0	0.01119	-46.148	0.5986	0.3627		160.0	0.01112	-45.534	0.5961	0.3613
	170.0	0.01149	-42.463	0.6209	0.3706		170.0	0.01141	-41.900	0.6181	0.3670
	180.0	0.01183	-38.735	0.6423	0.3777		180.0	0.01172	-38.201	0.6391	0.3715

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =0.90

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R	PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
	100.0	0.00976	-68.093	0.4274	0.3552		100.0	0.00976	-68.090	0.4273	0.3552
	110.0	0.00996	-64.581	0.4609	0.3560		110.0	0.00996	-64.571	0.4608	0.3561
8.000	120.0	0.01017	-61.023	0.4919	0.3599	14.696	120.0	0.01017	-61.016	0.4919	0.3599
	130.0	0.01040	-57.441	0.5206	0.3588		130.0	0.01040	-57.432	0.5205	0.3589
	140.0	0.01064	-53.833	0.5473	0.3594		140.0	0.01064	-53.831	0.5473	0.3594
							150.0	0.01091	-50.199	0.5723	0.3620
	100.0	0.00976	-68.069	0.4273	0.3551		100.0	0.00976	-68.039	0.4272	0.3549
	110.0	0.00996	-64.549	0.4608	0.3561		110.0	0.00995	-64.520	0.4607	0.3561
	120.0	0.01017	-60.994	0.4918	0.3601		120.0	0.01017	-60.966	0.4917	0.3601
30.000	130.0	0.01040	-57.411	0.5204	0.3589	50.000	130.0	0.01040	-57.383	0.5204	0.3590
	140.0	0.01064	-53.810	0.5472	0.3594		140.0	0.01064	-53.784	0.5471	0.3595
	150.0	0.01091	-50.180	0.5722	0.3622		150.0	0.01090	-50.154	0.5722	0.3622
	160.0	0.01120	-46.514	0.5959	0.3671		160.0	0.01119	-46.491	0.5958	0.3668
							170.0	0.01151	-42.776	0.6184	0.3765
	100.0	0.00975	-67.967	0.4271	0.3544		100.0	0.00975	-67.822	0.4267	0.3536
	110.0	0.00995	-64.449	0.4605	0.3562		110.0	0.00995	-64.306	0.4601	0.3564
	120.0	0.01016	-60.896	0.4915	0.3604		120.0	0.01016	-60.755	0.4911	0.3610
	130.0	0.01039	-57.315	0.5202	0.3591		130.0	0.01038	-57.179	0.5197	0.3593
100.000	140.0	0.01063	-53.713	0.5469	0.3596	200.000	140.0	0.01062	-53.585	0.5465	0.3599
	150.0	0.01090	-50.083	0.5719	0.3624		150.0	0.01088	-49.963	0.5714	0.3626
	160.0	0.01118	-46.432	0.5955	0.3662		160.0	0.01117	-46.315	0.5950	0.3651
	170.0	0.01150	-42.723	0.6180	0.3759		170.0	0.01148	-42.615	0.6175	0.3720
	180.0	0.01186	-38.943	0.6396	0.3833		180.0	0.01183	-38.849	0.6390	0.3817
	100.0	0.00974	-67.677	0.4263	0.3527		100.0	0.00974	-67.533	0.4260	0.3519
	110.0	0.00994	-64.163	0.4598	0.3566		110.0	0.00994	-64.021	0.4594	0.3568
	120.0	0.01015	-60.615	0.4907	0.3614		120.0	0.01014	-60.483	0.4905	0.3586
	130.0	0.01038	-57.042	0.5194	0.3595		130.0	0.01037	-56.906	0.5189	0.3596
300.000	140.0	0.01061	-53.452	0.5459	0.3601	400.000	140.0	0.01060	-53.320	0.5455	0.3602
	150.0	0.01087	-49.835	0.5709	0.3629		150.0	0.01086	-49.710	0.5704	0.3629
	160.0	0.01115	-46.197	0.5944	0.3624		160.0	0.01114	-46.076	0.5939	0.3618
	170.0	0.01147	-42.505	0.6168	0.3713		170.0	0.01145	-42.395	0.6162	0.3706
	180.0	0.01181	-38.754	0.6383	0.3801		180.0	0.01179	-38.657	0.6376	0.3785
	100.0	0.00973	-67.383	0.4256	0.3511		100.0	0.00971	-66.666	0.4239	0.3483
	110.0	0.00993	-63.878	0.4591	0.3570		110.0	0.00990	-63.164	0.4572	0.3570
	120.0	0.01014	-60.322	0.4901	0.3593		120.0	0.01010	-59.620	0.4881	0.3610
	130.0	0.01036	-56.763	0.5185	0.3597		130.0	0.01032	-56.087	0.5164	0.3600
500.000	140.0	0.01059	-53.187	0.5450	0.3604	1000.000	140.0	0.01055	-52.523	0.5429	0.3599
	150.0	0.01085	-49.579	0.5700	0.3611		150.0	0.01079	-48.938	0.5675	0.3613
	160.0	0.01112	-45.955	0.5933	0.3618		160.0	0.01105	-45.345	0.5907	0.3605
	170.0	0.01143	-42.284	0.6157	0.3699		170.0	0.01134	-41.719	0.6128	0.3663
	180.0	0.01176	-38.553	0.6369	0.3770		180.0	0.01166	-38.047	0.6338	0.3708

TABLE B-2. THERMODYNAMIC PROPERTIES OF FLUORINE-OXYGEN MIXTURES IN THE COMPRESSED LIQUID REGION

WT. FRACTION F2 =1.00

PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P	PRESSURE	TEMPERATURE	VOLUME	ENTHALPY	ENTROPY	C_P
PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R	PSIA	R	FT^3/LB	BTU/LB	BTU/LB/R	BTU/LB/R
	100.0	0.00946	-66.920	0.3959	0.3505		100.0	0.00946	-66.311	0.3958	0.3505
	110.0	0.00966	-63.443	0.4290	0.3514		110.0	0.00966	-63.440	0.4289	0.3515
8.000	120.0	0.00986	-59.939	0.4595	0.3556	14.696	120.0	0.00986	-59.930	0.4595	0.3557
	130.0	0.01009	-56.397	0.4878	0.3544		130.0	0.01008	-56.388	0.4878	0.3545
	140.0	0.01032	-52.838	0.5142	0.3549		140.0	0.01032	-52.830	0.5142	0.3549
							150.0	0.01058	-49.238	0.5390	0.3576
	100.0	0.00946	-66.883	0.3958	0.3503		100.0	0.00946	-66.861	0.3957	0.3501
	110.0	0.00966	-63.419	0.4288	0.3515		110.0	0.00965	-63.391	0.4288	0.3515
	120.0	0.00986	-59.909	0.4594	0.3558		120.0	0.00986	-59.382	0.4593	0.3559
30.000	130.0	0.01008	-56.363	0.4877	0.3545	50.000	130.0	0.01008	-56.341	0.4877	0.3546
	140.0	0.01032	-52.810	0.5141	0.3549		140.0	0.01032	-52.784	0.5140	0.3551
	150.0	0.01058	-49.220	0.5389	0.3578		150.0	0.01058	-49.195	0.5388	0.3578
	160.0	0.01086	-45.592	0.5623	0.3629		160.0	0.01086	-45.570	0.5622	0.3627
							170.0	0.01117	-41.892	0.5845	0.3729
	100.0	0.00946	-66.792	0.3956	0.3497		100.0	0.00946	-66.652	0.3952	0.3487
	110.0	0.00965	-63.321	0.4286	0.3516		110.0	0.00965	-63.183	0.4282	0.3519
	120.0	0.00986	-59.813	0.4592	0.3563		120.0	0.00985	-59.677	0.4587	0.3569
	130.0	0.01008	-56.275	0.4875	0.3547		130.0	0.01007	-56.143	0.4870	0.3550
100.000	140.0	0.01032	-52.720	0.5138	0.3552	200.000	140.0	0.01030	-52.592	0.5134	0.3555
	150.0	0.01057	-49.134	0.5385	0.3580		150.0	0.01056	-49.011	0.5380	0.3584
	160.0	0.01085	-45.514	0.5619	0.3620		160.0	0.01084	-45.400	0.5614	0.3608
	170.0	0.01116	-41.841	0.5841	0.3724		170.0	0.01115	-41.738	0.5836	0.3681
	180.0	0.01151	-38.093	0.6055	0.3800		180.0	0.01149	-38.008	0.6049	0.3784
	100.0	0.00945	-66.511	0.3948	0.3478		100.0	0.00944	-66.371	0.3945	0.3469
	110.0	0.00964	-63.045	0.4279	0.3521		110.0	0.00964	-62.907	0.4275	0.3524
	120.0	0.00984	-59.541	0.4583	0.3575		120.0	0.00984	-59.392	0.4581	0.3544
	130.0	0.01006	-56.010	0.4866	0.3553		130.0	0.01005	-55.878	0.4862	0.3554
300.000	140.0	0.01029	-52.463	0.5129	0.3558	400.000	140.0	0.01029	-52.335	0.5124	0.3559
	150.0	0.01055	-48.889	0.5376	0.3587		150.0	0.01053	-48.766	0.5371	0.3588
	160.0	0.01082	-45.286	0.5608	0.3579		160.0	0.01081	-45.170	0.5603	0.3575
	170.0	0.01113	-41.632	0.5829	0.3675		170.0	0.01111	-41.526	0.5824	0.3668
	180.0	0.01147	-37.917	0.6042	0.3768		180.0	0.01145	-37.824	0.6035	0.3751
	100.0	0.00944	-66.231	0.3941	0.3460		100.0	0.00941	-65.529	0.3924	0.3430
	110.0	0.00963	-62.763	0.4271	0.3527		110.0	0.00960	-62.077	0.4253	0.3527
	120.0	0.00983	-59.255	0.4577	0.3551		120.0	0.00980	-58.575	0.4558	0.3572
	130.0	0.01005	-55.746	0.4858	0.3556		130.0	0.01001	-55.084	0.4838	0.3561
500.000	140.0	0.01028	-52.206	0.5120	0.3563	1000.000	140.0	0.01023	-51.562	0.5099	0.3559
	150.0	0.01053	-48.638	0.5367	0.3569		150.0	0.01047	-48.018	0.5343	0.3574
	160.0	0.01080	-45.053	0.5597	0.3575		160.0	0.01073	-44.463	0.5572	0.3564
	170.0	0.01109	-41.419	0.5818	0.3661		170.0	0.01101	-40.875	0.5790	0.3626
	180.0	0.01142	-37.731	0.6029	0.3735		180.0	0.01132	-37.240	0.5997	0.3673

FORM NBS-114A (1-71)

U.S. DEPT. OF COMM. BIBLIOGRAPHIC DATA SHEET	1. PUBLICATION OR REPORT NO. NBSIR 73-338	2. Gov't Accession No.	3. Recipient's Accession No.

4. TITLE AND SUBTITLE Calculated Liquid Phase Thermodynamic Properties and Liquid-Vapor Equilibria for Fluorine-Oxygen (FLOX) Mixtures

5. Publication Date September 1973

6. Performing Organization Code

7. AUTHOR(S) W. R. Parrish and M. J. Hiza

8. Performing Organization

9. PERFORMING ORGANIZATION NAME AND ADDRESS

NATIONAL BUREAU OF STANDARDS, Boulder Laboratories
DEPARTMENT OF COMMERCE
Boulder, Colorado 80302

10. Project/Task/Work Unit No. 2750547

11. Contract/Grant No. Purchase Req. C-32369-C

12. Sponsoring Organization Name and Address

NASA Lewis Research Center
21000 Brookpark Rd.
Cleveland, Ohio 44135

13. Type of Report & Period Covered Final
Nov '72 -- Sept '73

14. Sponsoring Agency Code

15. SUPPLEMENTARY NOTES

16. ABSTRACT (A 200-word or less factual summary of most significant information. If document includes a significant bibliography or literature survey, mention it here.)

Liquid phase thermodynamic properties and liquid-vapor equilibria of fluorine-oxygen mixtures, for which no experimental data exist, have been calculated. The results are based on excess properties predicted from the Snider-Herrington equations, with an adjusted combining rule, and the corresponding data for the pure fluids. Mixtures considered are 0.6, 0.7, 0.8, 0.88, and 0.9 weight fraction of fluorine from 55 to 90 K up to 70×10^5 Pa. In the compressed liquid, molar volumes, enthalpy, entropy, and constant pressure specific heat were determined. Along the saturation boundary, coexistent vapor compositions and solution vapor pressures were determined as well. Corresponding properties of pure fluorine from experimental data have also been included. Results are tabulated in both British and S.I. units.

17. KEY WORDS (Alphabetical order, separated by semicolons) Calculated thermophysical properties; compressed liquid phase, fluorine-oxygen mixtures, hard-sphere model; liquid-vapor equilibria.

18. AVAILABILITY STATEMENT

[X] UNLIMITED.

[ ] FOR OFFICIAL DISTRIBUTION. DO NOT RELEASE TO NTIS.

19. SECURITY CLASS (THIS REPORT) UNCLASSIFIED

21. NO. OF PAGES

20. SECURITY CLASS (THIS PAGE) UNCLASSIFIED

22. Price

USCOMM-DC 66244-P71
USCOMM - ERL